

S-Nr	EAN	Artikelbezeichnung	Energieeffizienz A++ , A+ , A ...	Socket	Nennleistungsaufnahme	Nennlichtstrom	Nennlebensdauer (Std)	Bemessungslebensdauer (Std)	Bemessungsleistungsaufnahme	Schaltzyklen	Zündzeit (Sek.)	Anlaufzeit (Sek.)	Leistungsfaktor	Lampenlichtstromerhalt Ende der Nennlebensd.	Farbtemperatur (Kelvin)	Farbwiedergabe	Bemessungslichtstrom	Abmessungen L / D in mm	Lichtstromsteuerung dimmbar (ja / nicht)	Äquivalenzwert	Quecksilbergehalt	Nominaler Halbwertswinkel (Grad)	Eignung für Akzentbeleuchtung (ja/nein)	Farbkonsistenz (Leuchtdioden)	Bemessungsspitzenlichtstärke (Candela cd)	Bemessungshalbwertswinkel	Spektrale Strahlungsverteilung 180-800 nm		
FSM No	Barcode	German Description of Lamp (Bulb)	Shape of Lamp	Energy Class	Socket	Nominal Lamp Power	Nominal Luminous Flux	Nominal Life Time (hrs)	Rated Lamp Life Time	Wattage (0,1 W precision)	Number of switching cycles	Starting Time (x,x sec)	Warm-up Time (sec)	Power Factor	Lumen Maintenance (%)	Colour Temperature CCT (K)	Colour Rendering CRI (RA)	Rated Luminous Flux (lm)	Lamp Dimensions Length (mm)	Lamp Dimensions Diameter (mm)	can (Y) / cannot (NO) be dimmed or other	equivalent Lamp Power (rounded to 1W)	Mercury Content (x,x mg - if any -	nominal beam angle (in degree °)	suitable for accent lighting (yes/no)	Colour Consistency SDCM	Rated Peak Intensity (in cd)	Rated Beam Angle	Spectral Power Distribution 180-800 nm
00138536	404361007595	Lichtleiste 18W	T8	A	G13	18W	1350lm	10.000	16.000	17,7W	≥3.000	<1s	---	0,55	90%	4000K	≥80%	1350lm	604mm	26mm	nein	16W	<3.5mg	---	---	---	---	---	---
00139533	404361008103	Spot Save Glas	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00139557	404361008110	2-er Balken Save Glas	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00139571	404361008127	4-er Balken Save Glas	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00139595	404361008134	3-er Spirale Save Glas	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00145930	404361015101	Energiesparlampe 3-er Multipack	2U	A	E27	11W	532 lm	10.000	10.000	11,0W	≥3.000	<1s	40s	0,55	70%	2700K	80%	532lm	140mm	38mm	nein	46W	<2.5mg	---	---	---	---	---	---
00146135	404361009834	Unterbauleuchte, T5, 1x 13 W	T5	A	G5	13W	960 lm	8.000	8.000	13W	≥1.000	<5s	---	0,54	90%	4000K	≥80%	960lm	516,9mm	16mm	nein	11W	≤3mg	---	---	---	---	---	---
00146135	404361030197	Unterbauleuchte, T5 13 W	T5	A	G5	13W	980 lm	8.000	8.000	14W	≥1.000	<5s	---	0,54	90%	4000K	≥80%	960lm	516,9mm	16mm	nein	11W	≤3mg	---	---	---	---	---	---
00146760	404361010151	Energiespar-Flexarmleuchte	2U	A	E14	9W	410 lm	8.000	8.000	8,2W	≥8.000	<0,06s	0s	≥0,5	75%	2700K	80%	410 lm	127mm	35mm	nein	50W	2.5mg	---	---	---	---	---	---
00147989	404361010700	Energiespar-Gelenksystem	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00148023	404361010724	Energiespar-Jojo-Pendel, 1-er	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00148047	404361010731	Energiespar-Jojo-Pendel, 2-er	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00148061	404361010748	Energiespar-Jojo-Pendel, 3-er	Globe	A	E14	7W	290 lm	6.000	6.000	7W	≥3.000	<2s	≤80s	≥0,5	≥85%	2700K	≥80%	290lm	83mm	46mm	nein	30W	≤3.5mg	---	---	---	---	---	---
00150880	404361012124	Energiesparlampe	2U	A	E14	8W	345 lm	10.000	10.000	8,0W	≥3.000	<1,5s	40s	0,55	70%	2700K	80%	345lm	132mm	38mm	nein	33W	<2.5mg	---	---	---	---	---	---
00150880	404361031668	Energiesparlampe	2U	A	E14	8W	350 lm	10.000	10.000	8,0W	≥3.000	<1,5s	40s	0,55	88%	2700K	80%	350lm	132mm	38mm	nein	33W	<2.5mg	---	---	---	---	---	---
00150910	404361012131	Energiesparlampe	2U	A	E14	11W	532 lm	10.000	10.000	11,0W	≥3.000	<1,0s	40s	0,55	70%	2700K	80%	532lm	142mm	38mm	nein	46W	<2.5mg	---	---	---	---	---	---
00150910	404361031545	Energiesparlampe	2U	A	E14	11W	532 lm	10.000	10.000	11,0W	≥3.000	<1,0s	40s	0,55	88%	2700K	80%	532lm	142mm	38mm	nein	46W	<2.5mg	---	---	---	---	---	---
00150934	404361012148	Energiesparlampe	2U	A	E27	8W	345 lm	10.000	10.000	8,0W	≥3.000	<1,5s	40s	0,55	70%	2700K	80%	345lm	131mm	38mm	nein	33W	<2.5mg	---	---	---	---	---	---
00150934	404361031552	Energiesparlampe	2U	A	E27	8W	350 lm	10.000	10.000	8,0W	≥3.000	<1,5s	40s	0,55	88%	2700K	80%	350lm	131mm	38mm	nein	33W	<2.5mg	---	---	---	---	---	---
00150958	404361012155	Energiesparlampe	2U	A	E27	11W	532 lm	10.000	10.000	11,0W	≥3.000	<1,0s	40s	0,55	88%	2700K	80%	532lm	140mm	38mm	nein	46W	<2.5mg	---	---	---	---	---	---
00150958	404361012162	Energiesparlampe	2U	A	E27	11W	532 lm	10.000	10.000	11,0W	≥3.000	<1,0s	40s	0,55	79%	2700K	80%	532lm	140mm	38mm	nein	46W	<2.5mg	---	---	---	---	---	---
00150980	404361031033	Energiesparlampe	2U	A	E27	15W	799 lm	10.000	10.000	15,0W	≥3.000	<1,0s	40s	0,55	88%	2700K	80%	799lm	159mm	38mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151009	404361012179	Energiesparlampe	3U	A	E27	15W	799 lm	10.000	10.000	15,0W	≥3.000	<1,0s	40s	0,55	70%	2700K	80%	799lm	134mm	42mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151009	404361031569	Energiesparlampe	3U	A	E27	15W	799 lm	10.000	10.000	15,0W	≥3.000	<1,0s	40s	0,55	88%	2700K	80%	799lm	134mm	42mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151023	404361012186	Energiesparlampe	3U	A	E27	20W	1152 lm	10.000	10.000	20,0W	≥3.000	<1,0s	40s	0,55	70%	2700K	80%	1152lm	151mm	42mm	nein	85W	<2.5mg	---	---	---	---	---	---
00151023	404361031040	Energiesparlampe	3U	A	E27	20W	1152 lm	10.000	10.000	20,0W	≥3.000	<0,86s	40s	0,58	88%	2700K	82,50%	1152lm	151mm	42mm	nein	85W	<2.5mg	---	---	---	---	---	---
00151047	404361012193	Energiesparlampe Kerze	Kerze	A	E14	7W	287 lm	10.000	10.000	7,0W	≥3.000	<1,5s	60s	0,55	68%	2700K	80%	287lm	102mm	38mm	nein	29W	<2.5mg	---	---	---	---	---	---
00151047	404361031576	Energiesparlampe Kerze	Kerze	A	E14	7W	290 lm	10.000	10.000	7,0W	≥3.000	<1,5s	60s	0,55	83%	2700K	80%	290lm	102mm	38mm	nein	29W	<2.5mg	---	---	---	---	---	---
00151061	404361012209	Energiesparlampe Kerze	Kerze	A	E14	9W	406 lm	10.000	10.000	9,0W	≥3.000	<1,5s	60s	0,55	68%	2700K	80%	406lm	110mm	38mm	nein	38W	<2.5mg	---	---	---	---	---	---
00151061	404361031583	Energiesparlampe Kerze	Kerze	A	E14	9W	406 lm	10.000	10.000	9,0W	≥3.000	<1,5s	60s	0,55	83%	2700K	80%	406lm	110mm	38mm	nein	38W	<2.5mg	---	---	---	---	---	---
00151108	404361012223	Energiesparlampe AGL	AGL	A	E27	9W	406 lm	8.000	8.000	9,0W	≥3.000	<1,5s	60s	0,55	68%	2700K	80%	406lm	107mm	55mm	nein	38W	<2.5mg	---	---	---	---	---	---
00151108	404361031590	Energiesparlampe AGL	AGL	A	E27	9W	406 lm	10.000	10.000	9,0W	≥3.000	<1,5s	60s	0,55	83%	2700K	80%	406lm	107mm	55mm	nein	38W	<2.5mg	---	---	---	---	---	---
00151122	404361012230	Energiesparlampe AGL	AGL	A	E27	15W	799 lm	8.000	8.000	15,0W	≥3.000	<1s	60s	0,55	68%	2700K	80%	799lm	114mm	60mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151122	404361031606	Energiesparlampe AGL	AGL	A	E27	15W	799 lm	10.000	10.000	15,0W	≥3.000	<1s	60s	0,55	83%	2700K	80%	799lm	114mm	60mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151146	404361012247	Energiesparlampe Globe	globe	A	E27	15W	799 lm	8.000	8.000	15,0W	≥3.000	<1s	60s	0,55	68%	2700K	80%	799lm	128mm	94mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151146	404361031613	Energiesparlampe Globe	globe	A	E27	15W	799 lm	10.000	10.000	15,0W	≥3.000	<1s	60s	0,55	83%	2700K	80%	799lm	128mm	94mm	nein	63W	<2.5mg	---	---	---	---	---	---
00151160	404361012254	Energiesparlampe Globe	globe	A	E27	20W	1152 lm	8.000	8.000	20,0W	≥3.000	<1s	60s	0,55	68%	2700K	80%	1152lm	128mm	94mm	nein	85W	<2.5mg	---	---	---	---	---	---
00151160	404361031620	Energiesparlampe Globe	globe	A	E27	20W	1152 lm	10.000	10.000	20,0W	≥3.000	<1s	60s	0,55	83%	2700K	80%	1152lm	128mm	94mm	nein	85W	<2.5mg	---	---	---	---	---	---
00151184	404361012261	Energiesparlampe Reflektor	Reflektor	A	E14	7W	287 lm	10.000	10.000	7,0W	≥3.000	<1s	60s	0,55	83%	2700K	80%	287lm	87mm	50mm	nein	29W	<2.5mg	---	---	---	---	---	---
00151207	404361012278	Energiesparlampe Reflektorlampe GU10	Reflektor	A	GU10	7W	111 lm	8.000	8.000	7,0W	≥3.000	<1s	90s	0,55	68%	2700K	80%	111lm	58mm	50mm	nein	13W	<2.5mg	---	---	---	---	---	---
00151221	404361012285	Energiesparlampe Reflektorlampe GU10	Ref																										

S-Nr	EAN	Artikelbezeichnung		Energieeffizienz A+, A, A ...	Socket	Nennleistungs-aufnahme	Nennlichtstrom	Nennlebensdauer (Std)	Bemessungs-lebensdauer (Std)	Bemessungs-leistungs-aufnahme	Schaltzyklen	Zündzeit (Sek.)	Anlaufzeit (Sek.)	Leistungsfaktor	Lampenlicht-stromerhalt Ende der Nennlebensd.	Farbtemperatur (Kelvin)	Farbwiedergabe	Bemessungs-lichtstrom	Abmessungen L / D in mm	Lichtstrom-steuerung Lichtdimmbar (ja / nicht nein)	Äquivalenzwert	Quecksilber-Gehalt	Nominaler Halbwertsinkel (Grad)	Eignung für Akzentbeleuchtung (ja/nein)	Farbkonsistenz (Leuchtdioden)	Bemessungs-spitzenleistung (Candela cd)	Bemessungs-halbwerts-winkel	Spektrale Strahlungsverteilung 180-800 nm			
FSM No	Barcode	German Description of Lamp (Bulb)	Shape of Lamp	Energy Class	Socket	Nominal Lamp Power	Nominal Luminous Flux	Nominal Life Time (hrs)	Rated Lamp Life Time	Wattage (0,1 W precision)	Number of switching cycles	Starting Time (x,x sec)	Warm-up Time (sec)	Power Factor	Lumen Maintenance (%)	Colour Temperature CCT (K)	Colour Rendering CRI (RA)	Rated Luminous Flux (lm)	Lamp Dimensions Length (mm)	Lamp Dimensions Diameter (mm)	can (Y) / cannot (NO) be dimmed or other	equivalent Lamp Power (rounded to 1W)	Mercury Content (x,x mg - if any -)	nominal beam angle (in degree °)	suitable for accent lighting (yes/no)	Colour Consistency SDCM	Rated Peak Intensity (in cd)	Rated Beam Angle	Spectral Power Distribution 180-800 nm		
Halogen Leuchtmittel																															
00179485	4044361024073	Halogen Balkenpendel	Stiftsockel	C	G4	14W	215lm	2.000	2.000	14W	≥ 8.000	<0,2s	0,1s	0,95	>80%	2900K	> 98%	210lm	30mm	---	nein	24W	---	---	---	---	---	---	---		
00179980	4044361024349	Halogen Eco-Leuchtmittel Tropfen 2-er	mini globe	C	E14	28W	370 lm	2.000	1.500	28W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	> 370 lm	78mm	45mm	nein	37W	0	---	---	---	---	---	---		
00179980	4044361029597	Halogen Eco-Leuchtmittel Tropfen 2-er	Tropfen	C	E14	30W	410lm	2.000	2.000	30W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	410lm	78mm	45mm	nein	40W	---	---	---	---	---	---	---		
00180009	4044361024356	HalogenEco-Leuchtmittel Kerze 2-er	Kerze	C	E14	28W	370 lm	2.000	1.500	28W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	> 370 lm	100mm	35mm	nein	37W	0	---	---	---	---	---	---		
00180009	4044361029603	HalogenEco-Leuchtmittel Kerze 2-er	Kerze	C	E14	30W	410lm	2.000	2.000	30W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	410lm	100mm	35mm	nein	40W	---	---	---	---	---	---	---		
00180023	4044361024363	HalogenEco-Leuchtmittel Tropfen 2-er	Tropfen	C	E27	42W	624 lm	2.000	1.500	42W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	> 624 lm	102mm	55mm	nein	60W	0	---	---	---	---	---	---		
00180023	4044361029610	HalogenEco-Leuchtmittel Tropfen 2-er	Tropfen	D	E27	46W	702 lm	2.000	2.000	46W	≥ 8.000	<0,2s	<0,2s	1	>85%	2750K	100%	> 702 lm	102mm	55mm	nein	60W	0	---	---	---	---	---	---		
00180047	4044361024370	Halogen Eco-Leuchtmittel Reflektor 2-er	Reflektor	D	E14	28W	140 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	1	---	2750K	100%	140lm	85mm	50mm	nein	34W	0	---	---	---	---	---	---		
00180047	4044361029627	Halogen Eco-Leuchtmittel Reflektor 2-er	Reflektor	D	E14	30W	170 lm	2.000	2.000	30W	≥ 8.000	<0,2s	<1s	1	---	2750K	100%	170lm	85mm	50mm	nein	40W	0	---	---	---	---	---	---		
00180061	4044361024127	1er Spot mit Drahtkugel	Stiftsockel	C	G9	28W	370 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	>85%	2700K	> 98%	370lm	45mm	---	nein	37W	0	---	---	---	---	---	---		
00180085	4044361024134	2er Spot mit Drahtkugel	Stiftsockel	C	G9	28W	370 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	>85%	2700K	> 98%	370lm	45mm	---	nein	37W	0	---	---	---	---	---	---		
00180108	4044361024141	3er Spot mit Drahtkugel	Stiftsockel	C	G9	28W	370 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	>85%	2700K	> 98%	370lm	45mm	---	nein	37W	0	---	---	---	---	---	---		
00180122	4044361024158	4er Spot mit Drahtkugel	Stiftsockel	C	G9	28W	370 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	>85%	2700K	> 98%	370lm	45mm	---	nein	37W	0	---	---	---	---	---	---		
00180306	4044361024110	Lichtsystem, 6-flammig	Reflektor	D	GU10	50W	320lm	2.000	2.000	50W	≥ 8.000	<0,2s	<1s	---	---	2800K	---	320lm	55mm	51mm	nein	50W	0	---	---	---	---	---	---		
10181122	4044361027838	Lavaleuchte klar + rot	Stiftsockel	C	G4	35W	532lm	1.000	1.000	35W	≥ 8.000	<0,1s	0,1s	---	>80%	2800K	> 99%	532lm	32mm	8mm	nein	---	0	---	---	---	---	---	---		
10181122	4044361030968	Lavaleuchte klar + rot	Stiftsockel	C	G4	35W	600lm	2.000	2.000	37,8W	≥ 8.000	<0,1s	0,2s	>0,95	>85%	2800K	100%	576 lm	44mm	10mm	nein	---	0	---	---	---	---	---	---		
10181123	4044361027845	Lavaleuchte klar + blau	Stiftsockel	C	G4	35W	532lm	1.000	1.000	35W	≥ 8.000	<0,1s	0,1s	---	>80%	2800K	> 99%	532lm	32mm	8mm	nein	---	0	---	---	---	---	---	---		
10181123	4044361030975	Lavaleuchte klar + blau	Stiftsockel	C	G4	35W	600lm	2.000	2.000	37,8W	≥ 8.000	<0,1s	0,2s	>0,95	>85%	2800K	100%	576 lm	44mm	10mm	nein	---	0	---	---	---	---	---	---		
10181124	4044361027852	Lavaleuchte lila + pink	Stiftsockel	C	G4	35W	532lm	1.000	1.000	35W	≥ 8.000	<0,1s	0,1s	---	>80%	2800K	> 99%	532lm	32mm	8mm	nein	---	0	---	---	---	---	---	---		
10181124	4044361030982	Lavaleuchte lila + pink	Stiftsockel	C	G4	35W	600lm	2.000	2.000	37,8W	≥ 8.000	<0,1s	0,2s	>0,95	>85%	2800K	100%	576 lm	44mm	10mm	nein	---	0	---	---	---	---	---	---		
10181125	4044361027869	Lavaleuchte blau + gelb	Stiftsockel	C	G4	35W	532lm	1.000	1.000	35W	≥ 8.000	<0,1s	0,1s	---	>80%	2800K	> 99%	532lm	32mm	8mm	nein	---	0	---	---	---	---	---	---		
10181125	4044361030999	Lavaleuchte blau + gelb	Stiftsockel	C	G4	35W	600lm	2.000	2.000	37,8W	≥ 8.000	<0,1s	0,2s	>0,95	>85%	2800K	100%	576 lm	44mm	10mm	nein	---	0	---	---	---	---	---	---		
10181271	4044361028965	Spot Stephen, 1er	Reflektor	D	GU10	28W	200 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	---	2800K	---	200lm	57mm	51mm	nein	28W	0	---	---	---	---	---	---		
10181272	4044361028972	Spot Stephen, 2er	Reflektor	D	GU10	28W	200 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	---	2800K	---	200lm	57mm	51mm	nein	28W	0	---	---	---	---	---	---		
10181273	4044361028989	Halogen Spotrandell Stephen, 3er	Reflektor	D	GU10	28W	200 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	---	2800K	---	200lm	57mm	51mm	nein	28W	0	---	---	---	---	---	---		
10181274	4044361028996	Halogen Deckenbogen Stephen, 4er	Reflektor	D	GU10	28W	200 lm	2.000	2.000	28W	≥ 8.000	<0,2s	<1s	---	---	2800K	---	200lm	57mm	51mm	nein	28W	0	---	---	---	---	---	---		
10181340	4044361029757	Pendelleuchte Curly, 4x G9	Stiftsockel	C	G9	28W	350lm	2.000	2.000	28W	≥ 8.000	<0,1s	0,1s	>0,95	90%	2800K	---	350lm	---	41mm	13mm	nein	---	0	---	---	---	---	---		
10181822	4044361034621	Halogen Deckenleuchte, 4x G4 + 12 RGB LEDs	Stiftsockel	C	G4	14W/2,4W	200lm	2.000	2.000	14W	≥ 8.000	<1s	0s	0,9	85%	2700K	>90%	800lm	300mm	300mm	nein	---	0	120°	nein	<6	---	120°	---		
10181823	4044361034638	Halogen Deckenleuchte, 9xG4 + 27 RGB LEDs	Stiftsockel	C	G4	14W/3,6W	200lm	2.000	2.000	14W	≥ 8.000	<1s	0s	0,9	85%	2700K	>90%	1800lm	360mm	360mm	nein	---	0	120°	nein	<6	---	120°	---		
10181825	4044361034652	Halogen-Algebrauchleuchtmittel, Ser	AGL	D	E27	42W	630lm	2.000	2.000	37,8W-46,2W	≥ 8.000	<0,2s	<1s	>0,95	85%	2700K	100%	630lm	96mm	55mm	nein	55W	0	360°	nein	<6	66,56cd	360°	---		
10181826	4044361034669	Halogen-Leuchtmittel Kerze, Ser-Pack	Kerze	D	E14	28W	370lm	2.000	2.000	25,2W-30,8W	≥ 8.000	<0,2s	<1s	>0,95	85%	2700K	100%	370lm	99mm	35mm	nein	37W	0	360°	nein	<6	39,56cd	360°	---		
10181827	4044361034676	Halogen-Leuchtmittel Tropfen, Ser-Pack	Tropfen	D	E14	28W	370lm	2.000	2.000	25,2W-30,8W	≥ 8.000	<0,2s	<1s	>0,95	85%	2700K	100%	370lm	78mm	45mm	nein	37W	0	360°	nein	<6	36,16cd	360°	---		

LED Leuchtmittel																															
00160025	4044361015323	LED-Spot-Judy, 1-flammig	Reflektor	A+	GU10	2,3W	120 lm	25.000	25.000	2,3W	≥20.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	120lm	58mm	50mm	nein	12W	0	106,6°	nein	<6	58,5cd	100°	380-780nm		
00160025	4044361029719	LED-Spot-Judy, 1-flammig	Reflektor	A+	GU10	3 W	210lm/170lm	20.000	20.000	3 W	≥15.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	210lm/170lm	58mm	50mm	nein	12W	0	111,7°	nein	<6	80cd	110°	200-800nm		
00160025	4044361032856	LED-Spot-Judy, 1-flammig	Reflektor	A+	GU10	3W	230lm/230lm	20.000	20.000	3 W	≥15.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	230lm/230lm	58mm	50mm	nein	12W	0	110°	nein	<6	80cd	110°	380-780nm		
00160025	4044361038636	LED-Spot-Judy, 1-flammig	Reflektor	A+	GU10	3W	250lm	20.000	20.000	3W	≥15.000	<1s	<1s	> 0,4	>80%	3000K	>80	250lm	54mm	50mm	nein	12W	0	110°	nein	<6	85cd	110°	---		
00160025	4044361038636	LED-Spot-Judy, 1-flammig	Reflektor	A+	GU10	3W	250lm	20.000	20.000	3 W	≥15.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	250lm	58mm	50mm	nein	12W	0	110°	nein	<6	80cd	110°	380-780nm		
00160049	4044361015330	LED-Spotbalken Judy, 2-flammig	Reflektor	A+	GU10	2,3W	120 lm	25.000	25.000	2,3W	≥15.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	120lm	58mm	50mm	nein	12W	0	106,6°	nein	<6	58,5cd	100°	380-780nm		
00160049	4044361029726	LED-Spotbalken Judy, 2-flammig	Reflektor	A+	GU10	3W	210lm/170lm	20.000	20.000	3 W	≥15.000	≤ 1s	<1s	≥0,29	≥92%	3000K	>80	210lm/170lm	58mm												

S-Nr	EAN	Artikelbezeichnung	Energieeffizienz A++, A+, A ...	Socket	Nennleistungs-aufnahme	Nennlichtstrom	Nennlebensdauer (Std)	Bemessungs-lebensdauer (Std)	Bemessungs-leistungs-aufnahme	Schaltzyklen	Zündzeit (Sek.)	Anlaufzeit (Sek.)	Leistungsfaktor	Lampenlicht-stromerhalt Ende der Nennlebensd.	Farbtemperatur (Kelvin)	Farbwieder-gabe	Bemessungs-lichtstrom	Abmessungen L / D in mm	Lichtstrom-steuerung dimmbar (ja / nicht)	Äquivalenz-wert	Quecksilber-Gehalt	Nominaler Halbwerts-winkel (Grad)	Eignung für Akzentbele-uchtung (ja/nein)	Farbkonsist-enz (Leuchtdiod-en)	Bemessungs-spitzen-stärke (Candela cd)	Bemessungs-halbwerts-winkel	Spektrale Strahlungsverteil-ung 180-800 nm		
FSM No	Barcode	German Description of Lamp (Bulb)	Energy Class	Socket	Nominal Lamp Power	Nominal Luminous Flux	Nominal Life Time (hrs)	Rated Lamp Life Time	Wattage (0,1 W precision)	Number of switching cycles	Starting Time (x, x sec)	Warm-up Time (sec)	Power Factor	Lumen Maintenance Factor (%)	Colour Temperature CCT (K)	Colour Rendering CRI (RA)	Rated Luminous Flux (lm)	Lamp Dimensions Length (mm)	Lamp Dimensions Diameter (mm)	can (Y) / cannot (NO) be dimmed or other	equivalent Lamp Power (rounded to 1W)	Mercury Content (x, x mg - if any -)	nominal beam angle (in degree °)	suitable for accent lighting (yes/no)	Colour Consistency SDCM	Rated Peak Intensity (in cd)	Rated Beam Angle	Spectral Power Distribution 180-800 nm	
10182201	4044361043531	LED-Leuchtmittel Kerze	A+	E14	3.4W	250lm	25.000	25.000	3.4	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	250lm	102mm	35mm	nein	25W	0	280°	ja	≤6	---	280°	380-780nm	
10182202	4044361038308	LED-Leuchtmittel Tropfen, 2-er Pack, P45, weiß,	A+	E14	3.4W	250lm	25.000	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	78mm	45mm	nein	25W	0	210°	nein	≤6	---	210°	---	
10182203	4044361043548	LED-Leuchtmittel Tropfen	A+	E14	3.4W	250lm	25.000	25.000	3.4	≥15.000	<0.5 s	<1s	>0.5	≥70%	2700 K	>80	250lm	78mm	45mm	nein	25W	0	240°	ja	≤6	---	240°	380-780nm	
10182203	4044361038315	LED-Algebrauchleuchtmittel, 2er-Pack, A60, weiß,	AGL	A+	E27	5.6W	25.000	25.000	5.6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	470lm	110mm	60mm	nein	40W	0	240°	nein	≤6	---	240°	---	
10182203	4044361043555	LED-Algebrauchleuchtmittel, 2er-Pack, A60, weiß,	AGL	A+	E27	5.6W	25.000	25.000	5.6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	470lm	110mm	60mm	nein	40W	0	240°	nein	≤6	---	240°	---	
10182227	4044361038452	LED-Leuchtmittel Kerze, C35, weiß,	Kerze	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	102mm	35mm	nein	25W	0	280°	nein	≤6	---	280°	---	
10182227	4044361049502	LED-Leuchtmittel Kerze, C35, weiß,	Kerze	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	102mm	35mm	nein	25W	0	280°	nein	≤6	---	280°	---	
10182228	4044361038469	LED-Leuchtmittel Tropfen, P45, weiß,	Tropfen	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	78mm	45mm	nein	25W	0	210°	nein	≤6	---	210°	---	
10182228	4044361049519	LED-Leuchtmittel Tropfen, P45, weiß,	Tropfen	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	78mm	45mm	nein	25W	0	210°	nein	≤6	---	210°	---	
10182229	4044361038476	LED-Algebrauchleuchtmittel, A60, weiß,	AGL	A+	E27	5.6W	25.000	25.000	5.6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	470lm	110mm	60mm	nein	40W	0	240°	nein	≤6	---	240°	---	
10182229	4044361049526	LED-Algebrauchleuchtmittel, A60, weiß,	AGL	A+	E27	5.6W	25.000	25.000	5.6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	470lm	110mm	60mm	nein	40W	0	240°	nein	≤6	---	240°	---	
10182230	4044361038483	LED-Reflektor-Leuchtmittel, R50, weiß,	Reflektor	A+	E14	6W	430lm	25.000	6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	430lm	85mm	50mm	nein	35W	0	110°	nein	≤6	---	110°	---	
10182230	4044361069616	LED-Reflektor-Leuchtmittel, R50, weiß,	Reflektor	A+	E14	6W	430lm	25.000	6W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	430lm	85mm	50mm	nein	35W	0	110°	nein	≤6	---	110°	---	
10182231	4044361038490	LED-Leuchtmittel Windstokerkerze, C35, weiß,	Kerze	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	120mm	35mm	nein	25W	0	280°	nein	≤6	---	280°	---	
10182231	4044361059594	LED-Leuchtmittel Windstokerkerze, C35, weiß,	Kerze	A+	E14	3.4W	250lm	25.000	3.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	250lm	120mm	35mm	nein	25W	0	280°	nein	≤6	---	280°	---	
10182232	4044361038506	LED-Algebrauchleuchtmittel, A60, weiß,	AGL	A+	E27	9.2W	806lm	25.000	9.2W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	806lm	110mm	60mm	nein	60W	0	240°	nein	≤6	---	240°	---	
10182232	4044361058680	LED-Algebrauchleuchtmittel, A60, weiß,	AGL	A+	E27	9.2W	806lm	25.000	9.2W	≥15.000	<0.5 s	<1s	>0.5	≥80%	2700 K	>80	806lm	110mm	60mm	nein	60W	0	240°	nein	≤6	---	240°	---	
10182233	4044361038513	LED-Birnenformleuchtmittel, T25	Birne	A+	E14	1.7W	100lm	15.000	1.7W	≥15.000	<0.5 s	<1s	>0.2	≥80%	2700 K	>80	100lm	58mm	27mm	nein	---	0	140°	nein	≤6	24cd	140°	380-780nm	
10182234	4044361038520	LED-Stiftsockelleuchtmittel, G9, weiß,	Stiftsockel	A+	G9	2.4W	180lm	25.000	2.4W	≥15.000	<0.5 s	<1s	>0.4	≥80%	2700 K	>80	180lm	54mm	18.4mm	nein	19W	0	140°	nein	≤6	---	140°	---	
10182235	4044361038537	LED-Leuchtmittel Kerze, C38, weiß, dimmbar,	Kerze	A+	E14	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	110mm	38mm	nein	40W	0	280°	nein	≤6	---	280°	---	
10182235	4044361049533	LED-Leuchtmittel Kerze, C38, weiß, dimmbar,	Kerze	A+	E14	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	110mm	38mm	nein	40W	0	280°	nein	≤6	---	280°	---	
10182236	4044361038544	LED-Leuchtmittel Tropfen, P45, weiß, dimmbar,	Tropfen	A+	E27	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	78mm	45mm	nein	40W	0	160°	nein	≤6	---	160°	---	
10182236	4044361049540	LED-Leuchtmittel Tropfen, P45, weiß, dimmbar,	Tropfen	A+	E27	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	78mm	45mm	nein	40W	0	160°	nein	≤6	---	160°	---	
10182237	4044361038551	LED-Leuchtmittel Tropfen, P45, weiß, dimmbar,	Tropfen	A+	E14	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	81mm	45mm	nein	40W	0	160°	nein	≤6	---	160°	---	
10182237	4044361069623	LED-Leuchtmittel Tropfen, P45, weiß, dimmbar,	Tropfen	A+	E14	6.2W	470lm	25.000	6.2W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	470lm	81mm	45mm	nein	40W	0	160°	nein	≤6	---	160°	---	
10182238	4044361038568	LED-Algebrauchleuchtmittel, A60, weiß, dimmbar,	AGL	A+	E27	9W	806lm	25.000	9W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	806lm	110mm	60mm	nein	60W	0	240°	nein	≤6	---	240°	---	
10182238	4044361043517	LED-Algebrauchleuchtmittel, A60, weiß, dimmbar,	AGL	A+	E27	9W	806lm	25.000	9W	≥15.000	<0.5 s	<1s	>0.9	≥80%	2700 K	>80	806lm	110mm	60mm	nein	60W	0	240°	nein	≤6	---	240°	---	
10182239	4044361038575	LED-Reflektorleuchtmittel, PAR16, weiß, dimmbar,	Reflektor	A+	GU10	5.7W	345lm	25.000	5.7W	≥15.000	<0.5 s	<1s	>0.5	≥80%	3000 K	>80	345lm	54mm	50mm	nein	50W	0	36°	ja	≤6	860cd	36°	---	
10182239	4044361049564	LED-Reflektorleuchtmittel, PAR16, weiß, dimmbar,	Reflektor	A+	GU10	5.7W	345lm	25.000	5.7W	≥15.000	<0.5 s	<1s	>0.5	≥80%	3000 K	>80	345lm	54mm	50mm	nein	50W	0	36°	ja	≤6	860cd	36°	---	
10182249	4044361038698	LED-Ersatzleuchtmittel GU10 W3 250lm (Update)	Reflektor	A+	GU10	3W	250lm/200lm	20.000	20.000	3W	≥15.000	<0.5 s	<2s	>0.5	84,11%	3000K	>80	250/200lm	50mm	58mm	nein	17W	0	110°	nein	≤6	---	110°	380-780nm
10182325	4044361039565	LED-Leuchtmittel, E14 5W/ 470lm,	Kerze	A+	E14	5W	470lm	15.000	5W	≥15.000	<0.5 s	<2s	>0.5	---	3000K	>80	470lm	103mm	37mm	nein	40W	0	---	nein	≤6	---	---	380-780nm	
10182497	4044361040490	LED-Leuchtmittel, E14 5W/ 470lm,	Kerze	A+	E14	5W	470lm	15.000	5W	≥15.000	<0.5 s	<2s	>0.5	---	3000K	>80	470lm	103mm	37mm	nein	40W	0	---	nein	≤6	---	---	380-780nm	
10182497	4044361041742	LED-Spot-Mysterio 1-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<2s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182497	4044361056519	LED-Spot-Mysterio 1-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<2s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182498	4044361041759	LED-Spotbalken Mysterio 2-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<1s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182498	4044361065526	LED-Spotbalken Mysterio 2-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<1s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182499	4044361041766	LED-SpotrondeLL, Mysterio 3-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<1s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182499	4044361065533	LED-SpotrondeLL, Mysterio 3-er	Reflektor	A+	GU10	15W	250lm	25.000	15W	≥15.000	<0.5 s	<1s	>0.4	≥70%	3000K	>80	250lm	58mm	50mm	nein	50W	0	120°	nein	≤6	---	120°	---	
10182500	4044361041773	LED-Gelensystem Mysterio 6-er	Reflektor	A+	GU10	15W	250lm	2																					

S-Nr	EAN	Artikelbezeichnung		Energieeffizienz A++, A+, A ...	Socket	Nennleistungs- aufnahme	Nennlichtstrom	Nennlebensdauer (Std)	Bemessungs- lebensdauer (Std)	Bemessungs- leistungs- aufnahme	Schaltzyklen	Zündzeit (Sek.)	Anlaufzeit (Sek.)	Leistungsfaktor	Lampenlicht- stromerhalt Ende der Nennlebensd.	Farbtemperatur (Kelvin)	Farbwieder- gabe	Bemessungs- lichtstrom	Abmessungen L / D in mm		Lichtstrom- steuerung dimmbar (ja) / nicht (nein)	Äquivalenz- wert	Quecksilber- Gehalt	Nominaler Halbwerts- winkel (Grad)	Eignung für Akzentbe- leuchtung (ja/nein)	Farbkonsis- tenz (Leuchtdiod- en)	Bemessungs- spitzen- lichtstärke (Candela cd)	Bemessungs- halb- werts- winkel	Spektrale Strahlungsverteil- ung 180-800 nm		
FSM No	Barcode	German Description of Lamp (Bulb)	Shape of Lamp	Energy Class	Socket	Nominal Lamp Power	Nominal Luminous Flux	Nominal Life Time (hrs)	Rated Lamp Life Time	Wattage (0,1 W precision)	Number of switching cycles	Starting Time (x,x sec)	Warm-up Time (sec)	Power Factor	Lumen Maintenance Factor (%)	Colour Temperature CCT (K)	Colour Rendering CRI (RA)	Rated Luminous Flux (lm)	Lamp Dimensions Length (mm)	Lamp Dimensions Diameter (mm)	can (Y) / cannot (NO) be dimmed or other	equivalent Lamp Power (rounded to 1W)	Mercury Content (x,x mg) - if any -	nominal beam angle (in degree °)	suitable for accent lighting (yes/no)	Colour Consistency SDCM	Rated Peak Intensity (in cd)	Rated Beam Angle	Spectral Power Distribution 180- 800 nm		
10184582	4044361072241	LED-Leuchtmittel Tropfen, dimmbar,	Tropfen	A+	E14	5W	470lm	15.000	15.000	5,0W	≥15.000	< 0,5s	< 2s	>0,4	80%	2700K	≥ 80	470lm	82mm	45mm	nein	5W = 40W	---	150°	nein	≤6	---	150°	---		
10184582	4044361075877	LED-Leuchtmittel Tropfen, dimmbar,	Tropfen	F	E14	5W	470lm	15.000	15.000	5,0W	≥15.000	< 0,5s	< 2s	>0,4	93,1%	2700K	≥ 80	470lm	82mm	45mm	ja	5W = 40W	---	150°	nein	≤6	---	150°	---		
10184583	4044361072258	LED-Leuchtmittel AGL, dimmbar,	AGL	A+	E27	8,5W	806lm	15.000	15.000	8,5W	≥15.000	< 0,5s	< 2s	>0,5	80%	2700K	≥ 80	806lm	112mm	60mm	nein	8,5W = 60W	---	180°	nein	≤6	---	180°	---		
10184583	4044361075884	LED-Leuchtmittel AGL, dimmbar,	AGL	F	E27	8,5W	806lm	15.000	15.000	8,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2700K	≥ 80	806lm	112mm	60mm	ja	8,5W = 60W	---	180°	nein	≤6	---	180°	---		
10184584	4044361072265	LED-Leuchtmittel, 2er-Pack,	GU10	A+	GU10	4,0W	300lm	15.000	15.000	4,0W	≥15.000	< 0,5s	< 2s	>0,4	80%	2700K	≥ 80	300lm	58mm	50mm	nein	4,0W = 25W	---	100°	nein	≤6	---	100°	---		
10184584	4044361075891	LED-Leuchtmittel, 2er-Pack,	GU10	F	GU10	4,0W	345lm	15.000	15.000	4,0W	≥15.000	< 0,5s	< 2s	>0,4	93,1%	2700K	≥ 80	345lm	56mm	50mm	nein	4,0W = 32W	---	100°	nein	≤6	---	100°	---		
10184585	4044361072272	LED-Filament Kerze, 2er-Pack,	Kerze	A++	E14	2,5W	250lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,4	80%	2700K	≥ 80	250lm	97mm	35mm	nein	2,5W = 25W	---	330°	nein	≤6	---	330°	---		
10184585	4044361075907	LED-Filament Kerze, 2er-Pack,	Kerze	F	E14	2,5W	250lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,4	93,1%	2700K	≥ 80	250lm	97mm	35mm	nein	2,5W = 25W	---	330°	nein	≤6	---	330°	---		
10184586	4044361072296	LED-Leuchtmittel Kerze, 2er-Pack,	Kerze	A+	E14	3,0W	250lm	15.000	15.000	3,0W	≥15.000	< 0,5s	< 2s	>0,4	80%	2700K	≥ 80	250lm	103mm	35mm	nein	3W = 25W	---	240°	nein	≤6	---	240°	---		
10184586	4044361075914	LED-Leuchtmittel Kerze, 2er-Pack,	Kerze	F	E14	2,5W	250lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,4	93,1%	2700K	≥ 80	250lm	103mm	35mm	nein	2,5W = 25W	---	240°	nein	≤6	---	240°	---		
10184587	4044361072302	LED-Leuchtmittel Tropfen, 2er-Pack,	Tropfen	A+	E14	3W	250lm	15.000	15.000	3,0W	≥20.000	< 0,5s	< 2s	>0,4	80%	2700K	≥ 80	250lm	82mm	45mm	nein	3W = 25W	---	150°	nein	≤6	---	150°	---		
10184587	4044361075921	LED-Leuchtmittel Tropfen, 2er-Pack,	Tropfen	F	E14	2,5W	250lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,4	93,1%	2700K	≥ 80	250lm	82mm	45mm	nein	2,5W = 25W	---	150°	nein	≤6	---	150°	---		
10184588	4044361072326	LED-Leuchtmittel AGL, 2er-Pack,	AGL	A+	E27	5,5W	470lm	15.000	15.000	5,5W	≥20.000	< 0,5s	< 2s	>0,5	80%	2700K	≥ 80	470lm	107mm	60mm	nein	5,5W = 40W	---	180°	nein	≤6	---	180°	---		
10184588	4044361075938	LED-Leuchtmittel AGL, 2er-Pack,	AGL	F	E27	4,9W	470lm	15.000	15.000	4,9W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2700K	≥ 80	470lm	107mm	60mm	nein	4,9W = 40W	---	180°	nein	≤6	---	180°	---		
10184589	4044361072340	LED-Leuchtmittel Reflektor, 2er-Pack,	Reflektor	A+	E14	5W	470lm	15.000	15.000	5,0W	≥20.000	< 0,5s	< 2s	>0,5	80%	2700K	≥ 80	470lm	83mm	50mm	nein	5W = 40W	---	120°	nein	≤6	---	120°	---		
10184589	4044361075945	LED-Leuchtmittel Reflektor, 2er-Pack,	Reflektor	F	e14	5W	470lm	15.000	15.000	5,0W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2700K	≥ 80	470lm	82,5mm	50mm	nein	5W = 40W	---	120°	nein	≤6	---	120°	---		
10184784	4044361085012	LED-Filament Kolben, dimmbar, ST64-1GD, amber, E27,	ST64	G	E27	2,5W	200lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2200K	≥ 80	200lm	140mm	64mm	ja	2,5W = 21W	---	360°	nein	≤6	---	360°	---		
10184785	4044361085029	LED-Filament Globe, dimmbar, G80-10GD, amber, E27,	G80	F	E27	4,5W	400lm	15.000	15.000	4,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2200K	≥ 80	400lm	122mm	80mm	ja	4,5W = 35W	---	360°	nein	≤6	---	360°	---		
10184786	4044361085036	LED-Filament AGL, dimmbar, A60-5GD, amber, E27,	AGL	F	E27	4,5W	400lm	15.000	15.000	4,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	2200K	≥ 80	400lm	108mm	60mm	ja	4,5W = 35W	---	360°	nein	≤6	---	360°	---		
10184787	4044361085043	LED-Filament Kolben, dimmbar, ST64-1XD, Rauch, E27,	ST64	G	E27	2,5W	90lm	15.000	15.000	2,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	1800K	≥ 80	90lm	140mm	64mm	ja	2,5W = 10W	---	360°	nein	≤6	---	360°	---		
10184788	4044361085050	LED-Filament Globe, dimmbar, G80-10XD, Rauch, E27,	G80	G	E27	4,5W	160lm	15.000	15.000	4,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	1800K	≥ 80	160lm	122mm	80mm	ja	4,5W = 17W	---	360°	nein	≤6	---	360°	---		
10184789	4044361085067	LED-Filament AGL, dimmbar, A60-5XD, Rauch, E27,	AGL	G	E27	4,5W	180lm	15.000	15.000	4,5W	≥15.000	< 0,5s	< 2s	>0,5	93,1%	1800K	≥ 80	180lm	108mm	60mm	ja	4,5W = 19W	---	360°	nein	≤6	---	360°	---		
10184790	4044361085074	LED-Feuchtraumleuchte Kurt, Kst. grau/klar, inkl.	LED-Röhre	E	G13	18W	1980lm	20.000	20.000	18,0W	≥15.000	< 0,5s	< 2s	>0,7	95%	4000K	≥ 80	1980lm	1198mm	26mm	nein	---	---	360°	nein	≤6	---	360°	---		
LED-Lichtquellen-Modul																															
10184685	4044361077024	LED-Hängeleuchte Junis, Abd. Kst. weiß, Gestell Metall	LED-Modul	E	n/a	33W	4300 lm	30.000	30.000	33	≥15.000	<1	<1	0,97	0,96	3000	80	4300	1200 mm	550	nein	---	0	---	nein	2,2	---	---	---		
10184684	4044361077017	LED-Deckenleuchte Janne, Abd. Kst. weiß, Gestell Metall	LED-Modul	E	n/a	24W	2600 lm	30.000	30.000	24	≥15.000	<1	<1	0,97	0,96	3000	80	2600	623*275*47mm	---	nein	---	0	---	nein	3,1	---	---	---		
10184682	4044361076997	LED-Deckenleuchte Nalu, Abd. Kst. weiß, Gestell Metall	LED-Modul	D	n/a	24W	3200 lm	30.000	30.000	24	≥15.000	<1	<1	0,86	0,96	4000	80	3200	650*348*80 mm	---	nein	---	0	---	nein	1,5	---	---	---		
10184683	4044361077000	LED-Deckenleuchte Nelio, Abd. Kst. weiß, Gestell Metall	LED-Modul	D	n/a	20W	3000 lm	30.000	30.000	20	≥15.000	<1	<1	1	0,97	4000	80	3000	500*280*67 mm	---	nein	---	0	---	nein	1,5	---	---	---		
10184497	4044361069845	LED-Deckenleuchte Ava, Schirm Kst., weiß, mit	LED-Modul	E	LED	7,5W	1000lm	25.000	25.000	7,5W	---	---	---	---	---	4000K	80	1000lm	---	---	nein	---	0	360°	nein	<6	---	360°	---		
10184496	4044361069852	LED-Panel Egon, Schirm u. Befestigung Kst., weiß,	LED-Modul	E	LED	17,5W	2200lm	30.000	30.000	17,5W	---	---	---	---	---	4000K	80	2200lm	---	---	nein	---	0	360°	nein	<6	---	360°	---		
10184498	4044361069869	LED-Panel Amelia, Schirm u. Befestigung Kst.,	LED-Modul	E	LED	17,5W	2200lm	30.000	30.000	17,5W	---	---	---	---	---	4000K	80	2200lm	---	---	nein	---	0	360°	nein	<6	---	360°	---		
10184500	4044361069876	LED-Panel Andriane, Schirm u. Befestigung Kst.,	LED-Modul	E	LED	21W	3000lm	30.000	30.000	21W	---	---	---	---	---	4000K	80	3000lm	---	---	nein	---	0	360°	nein	<6	---	360°	---		
10184501	4044361069883	LED-Deckenleuchte Mareen,	LED-Modul	G	LED	5,3W	600lm	25.000	25.000	5,3W	---	---	---	---	---	3000K	80	600lm	---	---	nein	---	0	85°	nein	<6	---	85°	---		
10184502	4044361069890	LED-Deckenleuchte Maresa, Abd. Kst. weiß, Gestell	LED-Modul	F	LED	12,8W	1500lm	25.000	25.000	12,8W	---	---	---	---	---	3000K	80	1500lm	---	---	nein	---	0	84°	nein	<6	---	84°	---		